

Cartuchos Recaudados - Magenta Cliente.

HP LaserJet CP 1025nw

Supplies Status



Unsupported Black Cartridge

Order Unknown

80%

Approximate Pages Remaining:

900

Supply Level:

OK

Serial Number:

4200530177

Pages printed with this supply:

392

First Install Date:

20250312

Last Used Date:

20250606



Unsupported Cyan Cartridge

Order Unknown

80%

Approximate Pages Remaining:

650

Supply Level:

OK

Serial Number:

3966467730

Pages printed with this supply:

349

First Install Date:

20250310

Last Used Date:

20250606



Unsupported Magenta Cartridge

Order Unknown

80%

Approximate Pages Remaining:

650

Supply Level:

OK

Serial Number:

2020881110

Pages printed with this supply:

349

First Install Date:

20250312

Last Used Date:

20250606



Unsupported Yellow Cartridge

Order Unknown

80%

Approximate Pages Remaining:

650

Supply Level:

OK

Serial Number:

1807065798

Pages printed with this supply:

349

First Install Date:

20250310

Last Used Date:

20250606

1. Open a browser on your computer and type 192.168.0.121 in the browser's address bar, and press Enter.
2. On the Web page that appears, click on the HP Web Services tab.
3. Review and accept the terms of use, and then click the Enable button.

Enable HP Web Services

HP ePrint

Print from Anywhere

HP's free ePrint service provides an easy way to print from e-mail, anywhere and anytime. Simply attach a file to an e-mail, and send it to this printer's e-mail address. The attachment will print automatically on this printer. Supported attachment file types include .pdf, .jpg, .tif, and Microsoft Office(R) documents.

NOTE: Attachments may print differently than they appear in the software program which created them, depending on the original fonts and layout options used.

Your Printer is Protected

To help prevent unauthorized e-mail, HP assigns a random e-mail address to your printer, never publicizes this address, and by default does not respond to any sender. ePrint also provides industry-standard spam filtering and transforms e-mail and attachments to a print-only format to reduce the threat of a virus or other harmful content.

NOTE: The ePrint service does not filter e-mails based on content, so it cannot prevent objectionable or copyrighted material from being printed.

HP ePrintCenter

Use the HP ePrintCenter Web Site

Use HP's free ePrintCenter Web site to set up increased security for ePrint, specify the e-mail addresses that are allowed to send e-mail to your printer, get Print Apps (if available for your product), and access other free services.

- Go to the HP ePrintCenter Web site for more information and specific terms and conditions:

<http://www.hp.ePrintCenter.com>

Product Info

Product Name: HP LaserJet CP 1025nw
Formatter Number: W221Y8S
Serial Number: CND2005389
Service ID: 34225
Controller Number: 45
Firmware Version: 20201013
Software driver version: 20121225
Max Monochrome Print Quality: 600x2
Max Color Print Quality: ImageREt 2400
RPU: Off

Memory

Total Memory: 64 Mbytes
Available Memory: 56 Mbytes

Network Information

Status: Connected
Host Name: NP1054F44
Wired Hardware Address: 9C: 8E: 99: 05: 4F: 44
Wireless Hardware Address: 48: 5A: B6: 9B: 4E: 1E
Network in Use: Wired
Total Packets Received: 66462
Bad Packets Received: 0
Total Packets Transmitted: 4372
IP Address: 192.168.0.121
IP Subnet Mask: 255.255.255.0
Default Gateway: 192.168.0.1
Bonjour Service Name: HP LaserJet CP 1025nw
IP Configured By: DHCP
DHCP/BOOTP Server: 192.168.0.1
WINS Server: 0.0.0.0
IPv6 Link Local Address: FE80: 0: 0: 9B8E: 99FF: FE05: 4F44
IPv6 Stateless Addresses: FE80: 0: 0: 9B8E: 99FF: FE05: 4F44
IPv6 DHCP Addresses: 802.11b/g/n Wireless:
Status: Disabled
Communication Mode: Infrastructure
Network Name (SSID): Unknown
Authentication: None (Open)

Direct Print Configuration

Direct Print: Off
Direct Print Name (SSID): HP-Print-1E-LaserJet 1025
Channel: 6
IP Address: 192.168.223.1
Misplck Events: 0
Jam Events: 19
Color Impressions: 68
Monochrome Impressions: 354
Total Impressions: 422

Product Settings

IO Timeout: 120 Seconds
Sleep/Auto Off After Inactivity: 1 Minute
Shut Down After Inactivity: 4 Hours
Delay when ports are active: 1

Event Log

Code: 99.100A
Page: 422
419
417