






WIC Reset Utility

Model	Epson WF-2630/2631/2635
Serial number	UMAY498310
Status	Waste ink pad counter overflow error
 Counter	100.05% This counter has reached its limit and needs to be reset.
 Counter	9.52% This counter is ok.

WIC Reset Utility

Model Name	WF-2630 Series
Status	Printer is ready to print
Firmware ver.	LF24K1 24/01/2020
Serial Number	UMAY498310
Print Head ID	3939473P04
Manual cleaning counter	255
Timer cleaning counter	3
Ink replacement cleaning counter	255
Total print pass counter	894736
Total print page counter	17967
Total scan counter	819
Total scan counter (ADF)	2465





BK


Y
M
C

BK

Y
M
C



THOMAS MARET / AGFCA, CATERS NEWS





Página de prueba de la impresora de Windows

Instaló correctamente su Epson ESC/P-R V4 Class Driver en DESKTOP-15Q2K5S.

PROPIEDADES DE LA IMPRESORA

Hora de envío:	10:35:40 a. m.
Fecha:	26/08/2022
Nombre de usuario:	DESKTOP-15Q2K5S\Luis C
Nombre del equipo:	DESKTOP-15Q2K5S
Nombre de impresora:	EPSON WF-2630 Series
Modelo de impresora:	Epson ESC/P-R V4 Class Driver
Compatibilidad de color:	Sí
Nombres de puerto:	USB039
Formato de datos:	RAW
Nombre de recurso compartido de impresora:	
Procesador de impresión:	winprint
Entorno de SO:	Windows x64

PROPIEDADES DE CONTROLADOR DE IMPRESIÓN

Nombre del controlador:	Epson ESC/P-R V4 Class Driver
Tipo de controlador:	Tipo 4: modo usuario
Versión del controlador:	10.0.17119.1

ARCHIVOS DE CONTROLADOR DE IMPRESORA ADICIONALES

C:\Windows\System32\DriverStore\FileRepository\prnepcl2.inf_amd64_6afabe7d5ac06976\EP0NXR1-manifest.ini
C:\Windows\System32\DriverStore\FileRepository\prnepcl2.inf_amd64_6afabe7d5ac06976\amd64\EP0NXFF2.DLL
C:\Windows\System32\DriverStore\FileRepository\prnepcl2.inf_amd64_6afabe7d5ac06976\amd64\EP0NXFR1.DLL
C:\Windows\System32\DriverStore\FileRepository\prnepcl2.inf_amd64_6afabe7d5ac06976\EP0NXR10-PipelineConfig.XML
C:\Windows\System32\DriverStore\FileRepository\ntprint.inf_amd64_0338571dd682fd39\Amd64\UNIRES.DLL
C:\Windows\System32\DriverStore\FileRepository\ntprint.inf_amd64_0338571dd682fd39\Amd64\STDNAMES.GPD
C:\Windows\System32\DriverStore\FileRepository\ntprint.inf_amd64_0338571dd682fd39\Amd64\STDDTYPE.GDL
C:\Windows\System32\DriverStore\FileRepository\ntprint.inf_amd64_0338571dd682fd39\Amd64\STDSCHEM.GDL
C:\Windows\System32\DriverStore\FileRepository\ntprint.inf_amd64_0338571dd682fd39\Amd64\STDSCHEMX.GDL
C:\Windows\System32\DriverStore\FileRepository\ntprint.inf_amd64_0338571dd682fd39\Amd64\MSXPSINC.GPD